1. Introduction

- Logistics of Statistics II
- Causality
- Assignments
- RStudio
- RMarkdown

Logistics of Statistics II

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Lecture*		Assignments go online /	8-10 (lab 3) 12-14 (lab 4)	Do readings for next week,		Submit answers to
*Lab 3 (10-11h) *Lab 4 (14-15h)		submit Sunday the	(drop-in)	think about quiz		Moodle quiz
		week after				+
		but				Submit answers to
		Please start early!				take-home assignments

Syllabus

Week	Topic / Lecture	Assignment / Lab
1	Counterfactual Causality	Intro / Logistics
2	Potential Outcomes Framework	tba
3	Causal Graphs	Causal Graphs assignment
4	Regression	Regression
5	Matching	Matching assignment
6	Instrumental Variables	Instrumental Variables

Week	Topic / Lecture	Assignment / Lab
7	Regression Discontinuity Design	RDD assignment
8	Difference-in- Difference	DiD & synthetic controls
9	Panel data	Panel data assignment
10	Moderation & Mechanisms	Moderation & Mechanisms
11	Validity & Generalizability	Revision assignment
12	Planning & Evaluating	tba


Grading

- 50% take-home assignments, submitted via Moodle
 - Deadline: ≈2 weeks after publication
- 15% weekly quizzes on Moodle
 - Deadline: the day before the lecture, 11:59 PM
- 35% in-class or online final exam.
 - Final exam week

Take-home assignments

- Materials will be uploaded after the lecture
- Materials will consist of:
 - RMarkdown template with questions
 - Dataset
- Your task:
 - Work on the assignment in an RMarkdown document (in RStudio)
 - Knit the document to an HTML file
 - Upload both the R Markdown and the HTML file via Moodle

Causality




Source: https://www.ncbi.nlm.nih.gov/labs/pmc/articles/PMC7470813/

RStudio


- Download latest version of R
- Download RStudio

- IDE to use R
- Free and open source
- Interface divided into 4 panes




Editor in RStudio

- Source for your scripts and documents
- Only commands that are typed into a script can be saved
- Press cmd + enter to send commands to the console (to be executed)
- Comment your code using #




Console in RStudio

- Immediate execution of R comments by the computer
- Display of results of executed commands
- Press enter to execute commands
- Shows > if ready to accept commands




Environment in RStudio

- Environment and History
- Convenient monitor for data, variables, etc
- Helps with reading in files "manually"
- Often useful to clear environment when you run into troubles



Rest in RStudio

- Files/Plots/Packages/Help/ Viewer
- Displays Plots and Tables
- Overview of installed and loaded packages
- Help to learn more about packages and functions



R Markdown

RMarkdown is an authoring framework for data science. A single RMarkdown file can be used to:

- Save and execute code
- Generate high quality reports that can be shared with an audience

We will use RMarkdown to submit our weekly assignments.



Headers in Rmarkdown

YAML headers surrounded by "---" Meta-data that guides the

Meta-data that guides the file build-up process.

```
~/Documents/rmarkdown -
Q • | 😭 • | 🔝 | 🔠 | → Go to file/function | 👸 • | 🔯 • | Addins •
 1-example,Rmd ×
    ் 🔊 🖂 岑 🔍 🖋 Knit 🕶 🚳 🕶
   2 title: "Viridis Demo"
   3 output: html_document
   6 · ```{r include = FALSE}
                                                                     @ X >
   7 library(viridis)
  10 The code below demonstrates two color palettes in the
      [viridis](https://github.com/sjmgarnier/viridis) package. Each
      plot displays a contour map of the Maunga Whau volcano in
      Auckland, New Zealand.
 11
  12 - ## Viridis colors
  13
  14 - ```{r}
                                                                     @ X >
  15 image(volcano, col = viridis(200))
  16
  17
  18 - ## Magma colors
                                                                     @ X >
  21 image(volcano, col = viridis(200, option = "A"))
  23
 1:1 Uviridis Demo 0
                                                                    R Markdown 0
 Console
```

R Code in Rmarkdown


- R code chunks surrounded by ```
- Chunks take code as an input. It works just like usual R code.

start a chunk: ```{r}
end a chunk: ```



Text in Rmarkdown

Text mixed
 with simple
 text formatting
 Takes text as
 input.





Deadly sins in Rmarkdown

- 1. install.packages()
- 2. View()
- 3. Actual errors in the code

First, don't panic, take a step back. Then:

- Check your code (missing parentheses, packages, stray commas, etc.)
- 2. Google the error message
- 3. Search on Stackoverflow or look on YouTube
- 4. Ask for help (from stackoverflow, friends, or your TA)

- Reminder of the basics Recordings & materials of workshop
- A comprehensive guide to R: http://qpolr.com/
- RMarkdown: The definitive guide https://tinyurl.com/y4tyfqmg
- For any coding issues https://stackoverflow.com/
- Hertie's Data Science Lab Research Consulting